



## ULTRA SERIES 120V CONDENSATE PUMP, 22 FT LIFT WITH TUBING

Item#: **ULTRACP-22T**

The Asurity® ULTRACP-22T Condensate Pump is a 120 volt pump with 22 ft of lift. It comes with innovative features such as a translucent tank for easy & fast inspection, vibration dampening feet & motor mounts, metal mounting tabs, four inlet holes (and 3 poly covers for the unused), LED indicators, float switch and duckbill-style check valve, and detailed installation instructions. Two 1/4in. quick connect terminals provide the installer fast and easy connections to the built-in overflow switch to shut-down the system and prevent flooding, an important safety feature. 20 ft of 3/8 in discharge tubing is included.

### Product Features & Benefits ▲

- Translucent Tank for Easy & Fast Inspection

- 22 ft maximum lift height
- LED Indicators Confirm Pump Status
- Built-in Safety Overflow Switch
- Reversible deck for more installation options
- Removable Check Valve for Easy Cleaning
- Suitable for condensate up to 160° F
- Vibration dampening feet and motor mounts minimize sound
- 4 inlet holes
- 20 ft of tubing included for easy installation

## Specifications ▲

Includes	<b>Tubing</b>
Color	<b>Red</b> <b>Translucent</b>
Volts	<b>115</b>
Application	<b>General Purpose Condensate Pump</b> <b>HVAC/R</b>
Hertz	<b>60</b>
Horsepower	<b>1/30</b>
UL Listed	<b>Yes</b>
Amps	<b>1.9</b>
Discharge Line (In.)	<b>3/8</b>
Floatless Sensor	<b>No</b>
GPH (Gal./Hr.) @ 10 Ft. Lift	<b>108</b>
High Level Switch	<b>Yes</b>
Input Type	<b>NEMA 5-15 Plug</b>
Max Condensate Temp. (Degrees)	<b>160°F</b>
Max Flow Rate (GPH)	<b>132</b>
Max Lift Height (Ft.)	<b>22</b>
No. of Inlets	<b>4</b>
Self-Cleaning	<b>No</b>

Tank Capacity (Gal.)	1/2
Variable Speed and Lift	No
Sound Level dB(A) @ 3 Ft.	N/A
Ducted or Ductless	Ducted
Color Code	N/A

## Order Info ▲

UPC	0095247173075
Primary UoM	Each
Primary Depth (inches)	12.25
Primary Width (inches)	7.5
Primary Height (inches)	9
Primary Weight (lbs)	6.12
Quick Ship Flag	No
Order Multiple	6

## Documents ▲

-  [Technical Data Sheet](#)
-  [Installation Instructions](#)