

AHVE36CP1300

Generated from workbook row data

Attribute	Value
Brand	Corporate
ProductCategory	Unitary
ProductClassPIM	Air Handler
System Family	Unitary Split System
Function Category	Air Handler
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	AHVE230V_32
Series Name	Inverter compatible Air Handler
Short Description	Inverter compatible Air Handler Air Handler, Variable Speed Motor, Ton
Product Features - (Standard)	<p>Electronic Expansion Valve (EEV) for cooling and heat pump applications 7 mm evaporator coil tube size Variable-speed ECM blower motor Compatible with Daikin One+ smart thermostat and other Daikin communicating equipment Provides constant CFM over a wide range of static pressure conditions independent of duct system CFM indicator Thermostat provides adjustable low CFM for efficient fan-only operation All-aluminum evaporator coil Fault recall of six most recent faults Improved humidity and comfort control AHRI certified ETL listed Cabinet air leakage less than 2.0% at 1.0 inch H2O when tested in accordance with ASHRAE standard 193 Cabinet air leakage less than 1.4% at 0.5 inch H2O when tested in accordance with ASHRAE standard 193 3 kW – 25 kW electric heater kits Horizontal or vertical configuration capabilities 21" depth for easier attic access DecaBDE-free thermoplastic drain pan with secondary drain connections Screw-less sides and back helps to reduce condensation when installed in humid locations Foil-faced insulation covers the internal casing to reduce cabinet condensation Galvanized, leather grain-embossed finish Glue-less cabinet insulation retention Tool-less filter access</p>

Attribute	Value
Cabinet Features	<ul style="list-style-type: none"> • Cabinet air leakage less than 2.0% at 1.0 inch H₂O when tested in accordance with ASHRAE standard 193 • Cabinet air leakage less than 1.4% at 0.5 inch H₂O when tested in accordance with ASHRAE standard 193 • 3 kW – 25 kW electric heater kits • Horizontal or vertical configuration capabilities • 21" depth for easier attic access • DecaBDE-free thermoplastic drain pan with secondary drain connections • Screw-less sides and back helps to reduce condensation when installed in humid locations • Foil-faced insulation covers the internal casing to reduce cabinet condensation • Galvanized, leather grain-embossed finish • Glue-less cabinet insulation retention • Tool-less filter access
Installation Type	Ducted Multi-position
Communication Feature	Yes
Communication Feature Type	ComfortNet Compatible
Export Control Classification Number - (ECCN)	EAR99
Universal Product Code (UPC)	663051735187
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	4
Country of Origin	USA
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
Long Description	Inverter compatible Air Handler Ducted Multi-position Air Handler, Variable Speed Motor, 3 Ton, 21 in Cabinet with EEV Expansion, ComfortNet Compatible
ProductDescriptionPIM	Air Handler, Inverter, 3 Ton_R32
CoolingCapacityNominal	36000 Btu/H
Producer	Yes
ProductIDBarcode	AHVE36CP1300
IndoorFLA	5.2 A
MaxOvercurrentProtection	15/15 A
MaxVoltage	253 V
MinCircuitAmps	6.5/6.5 A
MinVoltage	197 V
PowerFrequency	60 Hz
PowerPhase	1 Ph

Attribute	Value
PowerVoltage	208/230 V
DimensionsBlowerDiameter	10.625 in
DimensionsBlowerWidth	10.625 in
DimensionsUnitDepth	21 in
DimensionsUnitHeight	53.4375 in
DimensionsUnitWidth	21 in
DimensionsWheelDiameter	10.625 in
DimensionsWheelWidth	10.625 in
EvapCoilFaceArea	4.59
EvapMotorRPM	1250 r/min
ExpansionDevice	EEV
MotorSpeedType	Variable Speed
NumberOfSpeeds	Variable
WeightUnit	140 lb
BlowerMotorHorsePower	3/4 metric hp
TonnageRange	3
FactoryStdRefrigerantCharge	0 oz
PipeSizeGas	7/8 in
PipeSizeLiquid	3/8 in
RefrigerantType	R-32
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	24.50 in
Dimensions - (Case Height)	57.50 in
Dimensions - (Case Width)	22.50 in
Dimensions - (Distribution Unit Depth)	24.5 in
Dimensions - (Distribution Unit Height)	57.5 in
Dimensions - (Distribution Unit Width)	22.5 in
Dimensions - (Pallet Depth)	49.00 in
Dimensions - (Pallet Height)	57.50 in
Dimensions - (Pallet Width)	45.00 in

Attribute	Value
Dimensions - (Shipping Unit Depth)	24.50 in
Dimensions - (Shipping Unit Height)	57.50 in
Dimensions - (Shipping Unit Width)	22.50 in
Distribution Shipping Volume - (Unit)	31696.875 in ³
Shipping Volume - (Unit)	31696.875 in ³
Truck Factor	0
Volume - (Case)	31696.875 in ³
Volume - (Distribution Shipping Unit)	31696.875 in ³
Weight - (Case)	141.000 lb
Weight - (Distribution Shipping Unit)	142.09 lb
Weight - (Shipping Unit)	141.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 10 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 10 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Ecomm Path Display	Equipment/Residential Split System/Air Handler
Release Status	Active