

CAPE4961C4

Generated from workbook row data

| Attribute | Value |
|---|---|
| Brand | Corporate |
| ProductCategory | Unitary |
| ProductClassPIM | Coil |
| System Family | Unitary Split System |
| Function Category | Cooling Only |
| Product Type | Equipment |
| Unit Type | Indoor |
| Market Type | Residential-Single Family |
| Product Family | CAPE |
| Series Name | CAPEA / CAPE |
| Short Description | CAPEA / CAPE Evaporator Coil, Upflow/Downflow, Ton, R-410A |
| Model Efficiency | 17 SEER |
| Family Description | Cased with Internal EEV Upflow/Downflow |
| Product Features - (Standard) | <ol style="list-style-type: none"> 1. All-Aluminum evaporator coil 2. Optimized for use with R-410A refrigerant 3. Some models suitable for use with R-410A or R-22 refrigerant 4. Electronic Expansion Valve (EEV) models feature ? Compatible with Daikin One+ smart thermostat and other Daikin communicating equipment ? Cooling and heat pump applications ? Fault recall of six most recent faults 5. CAPT models feature factory-installed thermal expansion valves for cooling and heat pump applications 6. Check Flowrator for cooling and heat pump applications 7. CAPEA, CAPE and CHPE models feature fator-installed electronic expansion valve for precise refrigerant control 8. Vertical and horizontal models available CAPEA models include a single front access panel 10. Rust resistant, thermoplastic drain pans featuring a low water-retention design 11. DecaBDE-free thermoplastic drain pain with secondary drain connections 12. UV-resistant drain pan 13. AHRI certified ETL listed |
| Cabinet Features | <ol style="list-style-type: none"> 1. Twenty one inch depth for easier attic access 2. Split seam front for easy access (Except CAPEA models) 3. Foil-faced insulation covers the internal casing to reduce cabinet condensation 4. Galvanized, leather grain-embossed finish |
| Installation Type | Ducted |
| Communication Feature | Yes |
| Export Control Classification Number - (ECCN) | EAR99 |

| Attribute | Value |
|-------------------------------------|---|
| Min Advertised Price | 829 \$ |
| Universal Product Code (UPC) | 663051594555 |
| Item Stocking Unit of Measure (UOM) | EA |
| Pallet Qty | 8 |
| Country of Origin | USA |
| US HTS Code | 8415.90.8020 |
| Canadian HTS Code | 8415.90.90.00 |
| Long Description | CAPEA / CAPE Cased Aluminum Evaporator Coil, Upflow/Downflow, 4.0<multisep/>5.0 Ton, 21 in Cabinet with EEV Expansion |
| ProductDescriptionPIM | 21" x 30" Cased Upflow/Downflow EEV Coil |
| CoolingCapacityNominal | 48000 Btu/H |
| Producer | Yes |
| ProductIDBarcode | CAPE4961C4 |
| PowerFrequency | 60 Hz |
| PowerPhase | 1 Ph |
| CabinetFinish | Painted |
| CasedvsUncased | Cased |
| DimensionsUnitDepth | 21 in |
| DimensionsUnitHeight | 30 in |
| DimensionsUnitWidth | 21 in |
| ETLListed | Yes |
| EvapCoilRows | 4 |
| EvapFinDensityFinsPerInch | 14 |
| ExpansionDevice | EEV |
| IndoorOrificeSize | 0.172 in |
| PlenumOpeningWidth | 20 in |
| WeightUnit | 78 lb |
| TonnageRange | 4.0;5.0 |
| CondensateDrainOutlet | 3/4 in |
| PipeSizeGas | 7/8 in |
| PipeSizeLiquid | 3/8 in |
| RefrigerantType | R-410A |

| Attribute | Value |
|---|----------------------------|
| Proposition 65 Label | Yes |
| Carton Type | CTN |
| Case Qty | 1 |
| Dimensions - (Case Depth) | 26.00 in |
| Dimensions - (Case Height) | 32.75 in |
| Dimensions - (Case Width) | 23.50 in |
| Dimensions - (Distribution Unit Depth) | 26 in |
| Dimensions - (Distribution Unit Height) | 32.75 in |
| Dimensions - (Distribution Unit Width) | 23.5 in |
| Dimensions - (Pallet Depth) | 54.00 in |
| Dimensions - (Pallet Height) | 70.00 in |
| Dimensions - (Pallet Width) | 50.00 in |
| Dimensions - (Shipping Unit Depth) | 26.00 in |
| Dimensions - (Shipping Unit Height) | 32.75 in |
| Dimensions - (Shipping Unit Width) | 23.50 in |
| Distribution Shipping Volume - (Unit) | 20010.25 in ³ |
| Shipping Volume - (Unit) | 20010.250 in ³ |
| Truck Factor | 0 |
| Volume - (Case) | 20010.250 in ³ |
| Volume - (Distribution Shipping Unit) | 20010.25 in ³ |
| Weight - (Case) | 84.000 lb |
| Weight - (Distribution Shipping Unit) | 84 lb |
| Weight - (Shipping Unit) | 84.000 lb |
| Registered Parts Warranty - Commercial | ALL PARTS - 5 YEARS PARTS |
| Registered Parts Warranty - Multi-Family | ALL PARTS - 10 YEARS PARTS |
| Registered Parts Warranty - Residential | ALL PARTS - 10 YEARS PARTS |
| Registered Unit Replacement Warranty - Multi-Family | 10 YEARS UNIT REPLACEMENT |
| Registered Unit Replacement Warranty - Commercial | 5 YEARS UNIT REPLACEMENT |
| Registered Unit Replacement Warranty - Residential | 10 YEARS UNIT REPLACEMENT |

| Attribute | Value |
|---|---|
| Standard Parts Warranty - Commercial | ALL PARTS - 5 YEARS PARTS |
| Standard Parts Warranty - Multi-Family | ALL PARTS - 5 YEARS PARTS |
| Standard Parts Warranty - Residential | ALL PARTS - 5 YEARS PARTS |
| Standard Unit Replacement Warranty - Commercial | 5 YEARS UNIT REPLACEMENT |
| Standard Unit Replacement Warranty - Multi-Family | 5 YEARS UNIT REPLACEMENT |
| Standard Unit Replacement Warranty-Residential | 5 YEARS UNIT REPLACEMENT |
| Ecomm Path Display | Equipment/Residential Split System/Coil |
| Release Status | Active |