

CAPF3743D6

Generated from workbook row data

Attribute	Value
Brand	Corporate
ProductCategory	Unitary
ProductClassPIM	Coil
System Family	Unitary Split System
Function Category	Cooling Only
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	CAPF
Series Name	CAPF
Short Description	CAPF Evaporator Coil, Upflow/Downflow, Ton, R-22/R-410A
Family Description	Cased Upflow/Downflow A-Coil Painted
Product Features - (Standard)	<ol style="list-style-type: none">1. All-Aluminum evaporator coil2. Optimized for use with R-410A refrigerant3. Check flowrator for cooling and heat pump applications4. Vertical application5. 21" depth for easier attic access6. Galvanized, leather grain-embossed finish7. Rust resistant, thermoplastic drain pans featuring a low water-retention design8. AHRI certified9. ETL Listed
Cabinet Features	<ol style="list-style-type: none">1. Twenty one inch depth for easier attic access2. Split seam front for easy access3. Foil-faced insulation covers the internal casing to reduce cabinet condensation4. Galvanized, leather grain-embossed finish
Installation Type	Ducted
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Min Advertised Price	610 \$
Serialized Flag	Yes
Universal Product Code (UPC)	663051540989
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	8
Country of Origin	USA

Attribute	Value
US HTS Code	8415.90.8020
Canadian HTS Code	8415.90.90.00
Long Description	CAPF Cased Aluminum Evaporator Coil, Upflow/Downflow, 3.0<multisep/>3.5 Ton, 24-1/2 in Cabinet with Flowrator Expansion, R-22/R-410A
ProductDescriptionPIM	3.5 Ton, Cased Painted Upflow/Downflow, Coil
CoolingCapacityNominal	42000 Btu/H
Producer	Yes
ProductIDBarcode	CAPF3743D6
PowerFrequency	60 Hz
PowerPhase	1 Ph
CabinetFinish	Painted
CasedvsUncased	Cased
DimensionsUnitDepth	21 in
DimensionsUnitHeight	30 in
DimensionsUnitWidth	24-1/2 in
ExpansionDevice	Flowrator
HeatExchangerType	Air Cooled
WeightUnit	75 lb
TonnageRange	3.0;3.5
CondensateDrainOutlet	3/4 in
PipeSizeGas	7/8 in
PipeSizeLiquid	3/8 in
RefrigerantType	R-22/R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	26.75 in
Dimensions - (Case Height)	32.25 in
Dimensions - (Case Width)	26.00 in
Dimensions - (Distribution Unit Depth)	26.75 in
Dimensions - (Distribution Unit Height)	32.25 in
Dimensions - (Distribution Unit Width)	26 in

Attribute	Value
Dimensions - (Pallet Depth)	55.00 in
Dimensions - (Pallet Height)	69.00 in
Dimensions - (Pallet Width)	54.00 in
Dimensions - (Shipping Unit Depth)	26.75 in
Dimensions - (Shipping Unit Height)	32.25 in
Dimensions - (Shipping Unit Width)	26.00 in
Distribution Shipping Volume - (Unit)	22429.875 in ³
Shipping Volume - (Unit)	22429.875 in ³
Truck Factor	0
Volume - (Case)	22429.875 in ³
Volume - (Distribution Shipping Unit)	22429.875 in ³
Weight - (Case)	75.000 lb
Weight - (Distribution Shipping Unit)	75 lb
Weight - (Shipping Unit)	75.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 10 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 10 YEARS PARTS
Registered Unit Replacement Warranty - Multi-Family	10 YEARS UNIT REPLACEMENT
Registered Unit Replacement Warranty - Commercial	5 YEARS UNIT REPLACEMENT
Registered Unit Replacement Warranty - Residential	10 YEARS UNIT REPLACEMENT
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Standard Unit Replacement Warranty - Commercial	5 YEARS UNIT REPLACEMENT
Standard Unit Replacement Warranty - Multi-Family	5 YEARS UNIT REPLACEMENT
Standard Unit Replacement Warranty-Residential	5 YEARS UNIT REPLACEMENT

Attribute	Value
Ecomm Path Display	Equipment/Residential Split System/Coil
Release Status	Obsolete