

CAPT3743D4

Generated from workbook row data

Attribute	Value
Brand	Corporate
ProductCategory	Unitary
ProductClassPIM	Coil
System Family	Unitary Split System
Function Category	Cooling Only
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	CAPT
Series Name	CAPT
Short Description	CAPT Evaporator Coil, Upflow/Downflow, Ton, R-410A
Family Description	Cased Upflow/Downflow A-Coil with TXV
Product Features - (Standard)	All-Aluminum evaporator coil Suitable for use with R-410A or R-22 refrigerant Factory-installed thermal expansion valves for cooling and heat pump applications Vertical application 21" depth for easier attic access Galvanized, leather grain-embossed finish Rust resistant, thermoplastic drain pans featuring a low water-retention design AHRI certified ETL Listed
Cabinet Features	1. Twenty one inch depth for easier attic access 2. Split seam front for easy access 3. Foil-faced insulation covers the internal casing to reduce cabinet condensation 4. Galvanized, leather grain-embossed finish
Installation Type	Ducted
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Min Advertised Price	699 \$
Serialized Flag	Yes
Universal Product Code (UPC)	663051465084
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	8
Country of Origin	USA

Attribute	Value
US HTS Code	8415.90.8020
Canadian HTS Code	8415.90.90.00
Long Description	CAPT Cased Aluminum Evaporator Coil, Upflow/Downflow, 3.0<multisep/>3.5 Ton, 24-1/2 in Cabinet with TXV Expansion, R-410A
ProductDescriptionPIM	3 Ton, Cased With Internal TXV Upflow/Downflow, Coil
CoolingCapacityNominal	42000 Btu/H
Producer	Yes
ProductIDBarcode	CAPT3743D4
PowerFrequency	60 Hz
PowerPhase	1 Ph
CabinetFinish	Painted
CasedvsUncased	Cased
DimensionsUnitDepth	21 in
DimensionsUnitHeight	30 in
DimensionsUnitWidth	24-1/2 in
ExpansionDevice	TXV
HeatExchangerType	Air Cooled
WeightUnit	75 lb
TonnageRange	3.0;3.5
CondensateDrainOutlet	3/4 in
PipeSizeGas	7/8 in
PipeSizeLiquid	3/8 in
RefrigerantType	R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	26.75 in
Dimensions - (Case Height)	32.25 in
Dimensions - (Case Width)	26.00 in
Dimensions - (Distribution Unit Depth)	26.75 in
Dimensions - (Distribution Unit Height)	32.25 in
Dimensions - (Distribution Unit Width)	26 in

Attribute	Value
Dimensions - (Pallet Depth)	55.00 in
Dimensions - (Pallet Height)	69.00 in
Dimensions - (Pallet Width)	54.00 in
Dimensions - (Shipping Unit Depth)	26.75 in
Dimensions - (Shipping Unit Height)	32.25 in
Dimensions - (Shipping Unit Width)	26.00 in
Distribution Shipping Volume - (Unit)	22429.875 in ³
Shipping Volume - (Unit)	22429.875 in ³
Truck Factor	0
Volume - (Case)	22429.875 in ³
Volume - (Distribution Shipping Unit)	22429.875 in ³
Weight - (Case)	75.000 lb
Weight - (Distribution Shipping Unit)	75 lb
Weight - (Shipping Unit)	75.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 10 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 10 YEARS PARTS
Registered Unit Replacement Warranty - Multi-Family	10 YEARS UNIT REPLACEMENT
Registered Unit Replacement Warranty - Commercial	5 YEARS UNIT REPLACEMENT
Registered Unit Replacement Warranty - Residential	10 YEARS UNIT REPLACEMENT
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Standard Unit Replacement Warranty - Commercial	5 YEARS UNIT REPLACEMENT
Standard Unit Replacement Warranty - Multi-Family	5 YEARS UNIT REPLACEMENT
Standard Unit Replacement Warranty-Residential	5 YEARS UNIT REPLACEMENT

Attribute	Value
Ecomm Path Display	Equipment/Residential Split System/Coil
Release Status	Obsolete