

CAPTA2422A3

Generated from workbook row data

| Attribute | Value |
|---|--|
| Brand | Corporate |
| ProductCategory | Unitary |
| ProductClassPIM | Coil |
| System Family | Unitary Split System |
| Function Category | Cooling Only |
| Product Type | Equipment |
| Unit Type | Indoor |
| Market Type | Residential-Single Family |
| Product Family | CAPTA_3 |
| Series Name | CAPTA AlumaFin7™ |
| Short Description | CAPTA AlumaFin7™ Evaporator Coil, Upflow/Downflow, Ton, R-32 |
| Family Description | CAPTA AlumaFin7™ Evaporator Coil |
| Product Features - (Standard) | <p>All-Aluminum evaporator coil Optimized for use with R-32 refrigerant including circuits and manifolds R-32 sensor designed for the life span of the coil Factory-installed thermal expansion valves for cooling and heat pump applications Standardized copper suction tube stub length Check flowrator for cooling and heat pump applications Vertical application 21" depth for easier attic access Single front access panel Foil-faced insulation covers the internal casing to reduce cabinet condensation Galvanized, leather grain-embossed finish Rust resistant, thermoplastic drain pan featuring a low water-retention design DecaBDE-free thermoplastic drain pan with secondary drain connections Drain pan rails designed to remove and reposition coils with ease without compromising structural integrity UV-resistant drain pan AHRI certified ETL Listed</p> |
| Installation Type | Ducted |
| Communication Feature | No |
| Export Control Classification Number - (ECCN) | EAR99 |
| Universal Product Code (UPC) | 663051688322 |
| Item Stocking Unit of Measure (UOM) | EA |
| Pallet Qty | 12 |
| Country of Origin | USA |

| Attribute | Value |
|---|--|
| US HTS Code | 8415.90.8020 |
| Canadian HTS Code | 8415.90.90.00 |
| Long Description | CAPTA AlumaFin7™ Cased Evaporator Coil, Upflow/Downflow, 2 Ton, 14 in Cabinet with TXV Expansion, R-32 |
| ProductDescriptionPIM | 2T Cased Upflow/Downflow R-32 Coil with TXV |
| Producer | Yes |
| ProductIDBarcode | CAPTA2422A3 |
| PowerFrequency | 60 Hz |
| PowerPhase | 1 Ph |
| CabinetFinish | Painted |
| CasedvsUncased | Cased |
| DimensionsUnitDepth | 21 in |
| DimensionsUnitHeight | 22 in |
| DimensionsUnitWidth | 14 in |
| ExpansionDevice | TXV |
| TonnageRange | 2 |
| CondensateDrainOutlet | 3/4 in |
| PipeSizeGas | 3/4 in |
| PipeSizeLiquid | 3/8 in |
| RefrigerantType | R-32 |
| Proposition 65 Label | Yes |
| Carton Type | CTN |
| Case Qty | 1 |
| Dimensions - (Case Depth) | 26.00 in |
| Dimensions - (Case Height) | 24.75 in |
| Dimensions - (Case Width) | 16.25 in |
| Dimensions - (Distribution Unit Depth) | 26 in |
| Dimensions - (Distribution Unit Height) | 24.75 in |
| Dimensions - (Distribution Unit Width) | 16.25 in |
| Dimensions - (Pallet Depth) | 54.00 in |
| Dimensions - (Pallet Height) | 54.00 in |
| Dimensions - (Pallet Width) | 50.00 in |

| Attribute | Value |
|---|---|
| Dimensions - (Shipping Unit Depth) | 26.00 in |
| Dimensions - (Shipping Unit Height) | 24.75 in |
| Dimensions - (Shipping Unit Width) | 16.25 in |
| Distribution Shipping Volume - (Unit) | 10456.875 in ³ |
| Shipping Volume - (Unit) | 10456.875 in ³ |
| Truck Factor | 0 |
| Volume - (Case) | 10456.875 in ³ |
| Volume - (Distribution Shipping Unit) | 10456.875 in ³ |
| Weight - (Case) | 43.000 lb |
| Weight - (Distribution Shipping Unit) | 43 lb |
| Weight - (Shipping Unit) | 43.000 lb |
| Registered Parts Warranty - Commercial | ALL PARTS - 5 YEARS PARTS |
| Registered Parts Warranty - Multi-Family | ALL PARTS - 10 YEARS PARTS |
| Registered Parts Warranty - Residential | ALL PARTS - 10 YEARS PARTS |
| Registered Unit Replacement Warranty - Multi-Family | 10 YEARS UNIT REPLACEMENT |
| Registered Unit Replacement Warranty - Commercial | 5 YEARS UNIT REPLACEMENT |
| Registered Unit Replacement Warranty - Residential | 10 YEARS UNIT REPLACEMENT |
| Standard Parts Warranty - Commercial | ALL PARTS - 5 YEARS PARTS |
| Standard Parts Warranty - Multi-Family | ALL PARTS - 5 YEARS PARTS |
| Standard Parts Warranty - Residential | ALL PARTS - 5 YEARS PARTS |
| Standard Unit Replacement Warranty - Commercial | 5 YEARS UNIT REPLACEMENT |
| Standard Unit Replacement Warranty - Multi-Family | 5 YEARS UNIT REPLACEMENT |
| Standard Unit Replacement Warranty-Residential | 5 YEARS UNIT REPLACEMENT |
| Ecomm Path Display | Equipment/Residential Split System/Coil |
| Release Status | Active |