

# CAUF4860C6

Generated from workbook row data

Attribute	Value
Brand	Corporate
ProductCategory	Unitary
ProductClassPIM	Coil
System Family	Unitary Split System
Function Category	Cooling Only
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	CAUF
Series Name	CAUF
Short Description	CAUF Evaporator Coil, Upflow/Downflow, Ton, R-22/R-410A
Family Description	Uncased Upflow/Downflow A-Coil
Product Features - (Standard)	<ol style="list-style-type: none"><li>1. All-Aluminum evaporator coil</li><li>2. Optimized for use with R-410A refrigerant</li><li>3. Check flowrator for cooling and heat pump applications</li><li>4. Vertical application</li><li>5. 21" depth for easier attic access</li><li>6. Rust resistant, thermoplastic drain pans featuring a low water-retention design</li><li>7. AHRI certified</li><li>8. ETL Listed</li></ol>
Installation Type	Ducted
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Min Advertised Price	585 \$
Serialized Flag	Yes
Universal Product Code (UPC)	663051447189
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	8
Country of Origin	USA
US HTS Code	8415.90.8020
Canadian HTS Code	8415.90.90.00
Long Description	CAUF Uncased Aluminum Evaporator Coil, Upflow/Downflow, 4.0<multisep/>5.0 Ton, 20 in Cabinet with Flowrator Expansion, R-22/R-410A

Attribute	Value
ProductDescriptionPIM	5 Ton, Uncased Upflow/Downflow, Coil
CoolingCapacityNominal	60000 Btu/H
Producer	Yes
ProductIDBarcode	CAUF4860C6
PowerPhase	1 Ph
CabinetFinish	Unpainted
CasedvsUncased	Uncased
DimensionsUnitDepth	20-1/4 in
DimensionsUnitHeight	28 in
DimensionsUnitWidth	20 in
ExpansionDevice	Flowrator
HeatExchangerType	Air Cooled
WeightUnit	48 lb
TonnageRange	4.0;5.0
CondensateDrainOutlet	3/4 in
PipeSizeGas	7/8 in
PipeSizeLiquid	3/8 in
RefrigerantType	R-22/R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	26.00 in
Dimensions - (Case Height)	32.75 in
Dimensions - (Case Width)	23.50 in
Dimensions - (Distribution Unit Depth)	26 in
Dimensions - (Distribution Unit Height)	32.75 in
Dimensions - (Distribution Unit Width)	23.5 in
Dimensions - (Pallet Depth)	54.00 in
Dimensions - (Pallet Height)	70.00 in
Dimensions - (Pallet Width)	50.00 in
Dimensions - (Shipping Unit Depth)	26.00 in
Dimensions - (Shipping Unit Height)	32.75 in

<b>Attribute</b>	<b>Value</b>
Dimensions - (Shipping Unit Width)	23.50 in
Distribution Shipping Volume - (Unit)	20010.25 in <sup>3</sup>
Shipping Volume - (Unit)	20010.250 in <sup>3</sup>
Truck Factor	0
Volume - (Case)	20010.250 in <sup>3</sup>
Volume - (Distribution Shipping Unit)	20010.25 in <sup>3</sup>
Weight - (Case)	38.000 lb
Weight - (Distribution Shipping Unit)	38 lb
Weight - (Shipping Unit)	38.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 10 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 10 YEARS PARTS
Registered Unit Replacement Warranty - Multi-Family	10 YEARS UNIT REPLACEMENT
Registered Unit Replacement Warranty - Commercial	5 YEARS UNIT REPLACEMENT
Registered Unit Replacement Warranty - Residential	10 YEARS UNIT REPLACEMENT
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Standard Unit Replacement Warranty - Commercial	5 YEARS UNIT REPLACEMENT
Standard Unit Replacement Warranty - Multi-Family	5 YEARS UNIT REPLACEMENT
Standard Unit Replacement Warranty - Residential	5 YEARS UNIT REPLACEMENT
Ecomm Path Display	Equipment/Residential Split System/Coil
Release Status	Active