

CAUFA2922B6

Generated from workbook row data

| Attribute | Value |
|---|---|
| Brand | Corporate |
| ProductCategory | Unitary |
| ProductClassPIM | Coil |
| System Family | Unitary Split System |
| Function Category | Cooling Only |
| Product Type | Equipment |
| Unit Type | Indoor |
| Market Type | Residential-Single Family |
| Product Family | CAUFA |
| Series Name | CAUFA |
| Short Description | CAUFA Evaporator Coil, Upflow/Downflow, Ton, R-22/R-410A |
| Family Description | CAUFA AlumaFin7™ Evaporator Coil |
| Product Benefits | <p>All-aluminum metallurgy provides superior corrosion resistance Compatible with R-410A or R-22 refrigerant Multi-louvered aluminum fin design helps support efficient heat transfer Hydrophilic fins provide superior condensate management 7mm sized grooved aluminum tubing for enhanced turbulence of refrigerant Vertical-flow design allows for upflow and downflow installation DecaBDE-free thermoplastic drain pan with secondary drain connections Coil rails to help ease of installation or removal of coils from cabinet Galvanized steel texture and parts used to help reduce corrosion on steel components</p> |
| Product Features - (Standard) | <p>Compact and lightweight all-aluminum evaporator coil with AlumaFin7™ technology Optimized for use with R-401A refrigerant Check flowrator for cooling and applications Rust resistant, thermoplastic drain pans featuring a low water-retention design Foil-faced insulation covers the internal casing to reduce cabinet condensation Single-piece access panel with tight seal helps to keep conditioned air from escaping Seal tight customized suction and liquid grommets for easy installation and removal 21" depth for easier attic access Vertical application AHRI certified ETL Listed</p> |
| Installation Type | Ducted |
| Communication Feature | No |
| Export Control Classification Number - (ECCN) | EAR99 |
| Min Advertised Price | 358 \$ |
| Universal Product Code (UPC) | 663051629240 |

| Attribute | Value |
|-------------------------------------|--|
| Item Stocking Unit of Measure (UOM) | EA |
| Pallet Qty | 12 |
| Country of Origin | USA |
| US HTS Code | 8415.90.8020 |
| Canadian HTS Code | 8415.90.90.00 |
| Long Description | CAUFA Uncased Aluminum Evaporator Coil, Upflow/Downflow, 2.5 Ton, 131/8 in Cabinet with Flowrator Expansion, R-22/R-410A |
| ProductDescriptionPIM | uncased coil |
| CoolingCapacityNominal | 30000 Btu/H |
| Producer | Yes |
| ProductIDBarcode | CAUFA2922B6 |
| PowerPhase | 1 Ph |
| ANSI | No |
| CabinetFinish | Unpainted |
| CasedvsUncased | Uncased |
| DimensionsUnitDepth | 167/8 in |
| DimensionsUnitHeight | 143/8 in |
| DimensionsUnitWidth | 131/8 in |
| ETLListed | Yes |
| EvapCoilRows | 3 |
| EvapFinDensityFinsPerInch | 17 |
| ExpansionDevice | Flowrator |
| IndoorOrificeSize | 0.065 in |
| PlenumOpeningWidth | 131/8 in |
| WeightUnit | 28 lb |
| TonnageRange | 2.5 |
| CondensateDrainOutlet | 3/4 in |
| PipeSizeGas | 3/4 in |
| PipeSizeLiquid | 3/8 in |
| RefrigerantType | R-22/R-410A |
| Proposition 65 Label | Yes |
| Carton Type | CTN |

| Attribute | Value |
|---|----------------------------|
| Case Qty | 1 |
| Dimensions - (Case Depth) | 26.00 in |
| Dimensions - (Case Height) | 24.50 in |
| Dimensions - (Case Width) | 20.00 in |
| Dimensions - (Distribution Unit Depth) | 26 in |
| Dimensions - (Distribution Unit Height) | 24.5 in |
| Dimensions - (Distribution Unit Width) | 20 in |
| Dimensions - (Pallet Depth) | 54.00 in |
| Dimensions - (Pallet Height) | 78.00 in |
| Dimensions - (Pallet Width) | 41.00 in |
| Dimensions - (Shipping Unit Depth) | 26.00 in |
| Dimensions - (Shipping Unit Height) | 24.50 in |
| Dimensions - (Shipping Unit Width) | 20.00 in |
| Distribution Shipping Volume - (Unit) | 12740 in ³ |
| Shipping Volume - (Unit) | 12740.000 in ³ |
| Truck Factor | 0 |
| Volume - (Case) | 12740.000 in ³ |
| Volume - (Distribution Shipping Unit) | 12740 in ³ |
| Weight - (Case) | 23.000 lb |
| Weight - (Distribution Shipping Unit) | 23 lb |
| Weight - (Shipping Unit) | 23.000 lb |
| Registered Parts Warranty - Commercial | ALL PARTS - 5 YEARS PARTS |
| Registered Parts Warranty - Multi-Family | ALL PARTS - 10 YEARS PARTS |
| Registered Parts Warranty - Residential | ALL PARTS - 10 YEARS PARTS |
| Registered Unit Replacement Warranty - Multi-Family | 10 YEARS UNIT REPLACEMENT |
| Registered Unit Replacement Warranty - Commercial | 5 YEARS UNIT REPLACEMENT |
| Registered Unit Replacement Warranty - Residential | 10 YEARS UNIT REPLACEMENT |
| Standard Parts Warranty - Commercial | ALL PARTS - 5 YEARS PARTS |

| Attribute | Value |
|---|---|
| Standard Parts Warranty - Multi-Family | ALL PARTS - 5 YEARS PARTS |
| Standard Parts Warranty - Residential | ALL PARTS - 5 YEARS PARTS |
| Standard Unit Replacement Warranty - Commercial | 5 YEARS UNIT REPLACEMENT |
| Standard Unit Replacement Warranty - Multi-Family | 5 YEARS UNIT REPLACEMENT |
| Standard Unit Replacement Warranty- Residential | 5 YEARS UNIT REPLACEMENT |
| Ecomm Path Display | Equipment/Residential Split System/Coil |
| Release Status | Obsolete |