

CHPTA6030D3

Generated from workbook row data

Attribute	Value
Brand	Corporate
ProductCategory	Unitary
ProductClassPIM	Coil
System Family	Unitary Split System
Function Category	Cooling Only
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	CHPTA_3
Series Name	CHPTA AlumaFin7™
Short Description	CHPTA AlumaFin7™ Evaporator Coil, Horizontal, Ton, R-32
Model Efficiency	13.4 SEER2
Family Description	CHPTA AlumaFin7™ Evaporator Coil
Product Benefits	Factory-installed thermal expansion valves for cooling and heat pump applications
Product Features - (Standard)	<p>All-Aluminum evaporator coil Optimized for use with R-32 refrigerant including circuits and manifold including circuits and manifolds R-32 sensor designed for the life span of the coil Factory-installed thermal expansion valves for cooling and heat pump applications Standardized copper suction tube stub length Check flowrator for cooling and heat pump applications Horizontal application 21" depth for easier attic access Single front access panel Foil-faced insulation covers the internal casing to reduce cabinet condensation Galvanized, leather grain-embossed finish Rust resistant, thermoplastic drain pan featuring a low water-retention design DecaBDE-free thermoplastic drain pan with secondary drain connections Drain pan rails designed to remove and reposition coils with ease without compromising structural integrity UV-resistant drain pan AHRI certified ETL Listed</p>
Cabinet Features	<p>Single front access panel Foil-faced insulation covers the internal casing to reduce cabinet condensation Galvanized, leather grain-embossed finish</p>
Installation Type	Ducted
Communication Feature	No

Attribute	Value
Export Control Classification Number - (ECCN)	EAR99
Universal Product Code (UPC)	663051693654
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	4
Country of Origin	USA
US HTS Code	8415.90.8020
Canadian HTS Code	8415.90.90.00
Long Description	CHPTA AlumaFin7™ Cased Aluminum Evaporator Coil, Horizontal, 5 Ton, Cabinet with TXV Expansion, R-32
ProductDescriptionPIM	5T Cased Horizontal Evaporator R-32 Coil with TXV
Producer	Yes
ProductIDBarcode	CHPTA6030D3
PowerFrequency	60 Hz
PowerPhase	1 Ph
CabinetFinish	Painted
CasedvsUncased	Cased
ExpansionDevice	TXV
TonnageRange	5
RefrigerantType	R-32
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	32.50 in
Dimensions - (Case Height)	26.50 in
Dimensions - (Case Width)	26.50 in
Dimensions - (Distribution Unit Depth)	32.5 in
Dimensions - (Distribution Unit Height)	26.5 in
Dimensions - (Distribution Unit Width)	26.5 in
Dimensions - (Pallet Depth)	34.00 in
Dimensions - (Pallet Height)	58.00 in
Dimensions - (Pallet Width)	54.00 in
Dimensions - (Shipping Unit Depth)	32.50 in

Attribute	Value
Dimensions - (Shipping Unit Height)	26.50 in
Dimensions - (Shipping Unit Width)	26.50 in
Distribution Shipping Volume - (Unit)	22823.125 in ³
Shipping Volume - (Unit)	22823.125 in ³
Truck Factor	0
Volume - (Case)	22823.125 in ³
Volume - (Distribution Shipping Unit)	22823.125 in ³
Weight - (Case)	80.000 lb
Weight - (Distribution Shipping Unit)	80 lb
Weight - (Shipping Unit)	80.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 10 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 10 YEARS PARTS
Registered Unit Replacement Warranty - Multi-Family	10 YEARS UNIT REPLACEMENT
Registered Unit Replacement Warranty - Commercial	5 YEARS UNIT REPLACEMENT
Registered Unit Replacement Warranty - Residential	10 YEARS UNIT REPLACEMENT
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Standard Unit Replacement Warranty - Commercial	5 YEARS UNIT REPLACEMENT
Standard Unit Replacement Warranty - Multi-Family	5 YEARS UNIT REPLACEMENT
Standard Unit Replacement Warranty-Residential	5 YEARS UNIT REPLACEMENT
Ecomm Path Display	Equipment/Residential Split System/Coil
Release Status	Active