

GC9C960803BN

Generated from workbook row data

| Attribute | Value |
|---|--|
| Brand | Goodman |
| ProductCategory | Unitary |
| ProductClassPIM | Gas Furnace |
| System Family | Unitary Split System |
| Function Category | Heating Only |
| Product Type | Equipment |
| Unit Type | Indoor |
| Market Type | Residential-Single Family |
| Product Family | GC9C96 |
| Short Description | Goodman 96% AFUE Gas Furnace Multi Speed ECM, Two Stage |
| Installation Type | Ducted |
| Export Control Classification Number - (ECCN) | EAR99 |
| Min Advertised Price | 2076 \$ |
| Universal Product Code (UPC) | 663051627079 |
| Item Stocking Unit of Measure (UOM) | EA |
| Pallet Qty | 4 |
| Country of Origin | USA |
| US HTS Code | 7322.90.0015 |
| Canadian HTS Code | 7322.90.10.21 |
| Long Description | Goodman 96% AFUE Gas Furnace Multi Speed ECM, Two Stage, Downflow/Horizontal, 80,000 BTUH/H, Low NOx |
| ProductDescriptionPIM | 96% eem cflow furnace |
| AFUE | 0.96 |
| CoolingCapacityNominal | 36000 Btu/H |
| InstallationConfiguration | Downflow/Horizontal |
| Producer | Yes |
| ProductIDBarcode | GC9C960803BN |
| TemperatureRiseRangeHigh | 40-70 °F |
| TemperatureRiseRangeLow | 30-60 °F |

| Attribute | Value |
|---|---------------------------|
| MaxOvercurrentProtection | 15 A |
| MinCircuitAmps | 7.8 A |
| PowerFrequency | 60 Hz |
| PowerPhase | 1 Ph |
| PowerVoltage | 115 V |
| AirFlowRateHighHeating | 1277 ft ³ /min |
| AirFlowRateLowHeating | 1124 ft ³ /min |
| DimensionsBlowerDiameter | 11 in |
| DimensionsBlowerWidth | 8 in |
| DimensionsUnitDepth | 28 in |
| DimensionsUnitHeight | 33-3/8 in |
| DimensionsUnitWidth | 17-1/2 in |
| HeatExchangerType | Air Cooled |
| MotorSpeedType | Multi Speed ECM |
| NOxBurnerType | Low NOx |
| WeightUnit | 118 lb |
| BlowerMotorHorsePower | 0.5 metric hp |
| HighFireInputCapacity | 80000 Btu |
| HighFireOutputCapacity | 76800 |
| LowFireInputCapacity | 56000 |
| LowFireOutputCapacity | 53760 |
| GasValveType | Two Stage |
| Proposition 65 Label | Yes |
| Carton Type | CTN |
| Case Qty | 1 |
| Dimensions - (Case Depth) | 30.00 in |
| Dimensions - (Case Height) | 38.50 in |
| Dimensions - (Case Width) | 18.50 in |
| Dimensions - (Distribution Unit Depth) | 30 in |
| Dimensions - (Distribution Unit Height) | 38.5 in |
| Dimensions - (Distribution Unit Width) | 18.5 in |
| Dimensions - (Pallet Depth) | 60.00 in |

| Attribute | Value |
|--|--|
| Dimensions - (Pallet Height) | 38.50 in |
| Dimensions - (Pallet Width) | 37.00 in |
| Dimensions - (Shipping Unit Depth) | 30.00 in |
| Dimensions - (Shipping Unit Height) | 38.50 in |
| Dimensions - (Shipping Unit Width) | 18.50 in |
| Distribution Shipping Volume - (Unit) | 21367.5 in ³ |
| Shipping Volume - (Unit) | 21367.500 in ³ |
| Truck Factor | 0 |
| Volume - (Case) | 21367.500 in ³ |
| Volume - (Distribution Shipping Unit) | 21367.5 in ³ |
| Weight - (Case) | 125.000 lb |
| Weight - (Distribution Shipping Unit) | 125 lb |
| Weight - (Shipping Unit) | 125.000 lb |
| Registered Parts Warranty - Commercial | HEAT EXCHANGER - 20 YEARS PARTS;ALL PARTS - 5 YEARS PARTS |
| Registered Parts Warranty - Multi-Family | ALL PARTS - 10 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS |
| Registered Parts Warranty - Residential | HEAT EXCHANGER - 20 YEARS PARTS ALL PARTS - 10 YEARS PARTS ALL PARTS - 10 YEARS PARTS HEAT EXCHANGER - 20 YEARS PARTS HEAT EXCHANGER - 20 YEARS PARTS HEAT EXCHANGER - 79 YEARS PARTS HEAT EXCHANGER - 79 YEARS PARTS HEAT EXCHANGER - 79 YEARS PARTS ALL PARTS - 10 YEARS PARTS |
| Registered Unit Replacement Warranty - Residential | HEAT EXCHANGER - 10 YEARS UNIT REPLACEMENT HEAT EXCHANGER - 10 YEARS UNIT REPLACEMENT HEAT EXCHANGER - 10 YEARS UNIT REPLACEMENT |
| Standard Parts Warranty - Commercial | ALL PARTS - 5 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS |
| Standard Parts Warranty - Multi-Family | HEAT EXCHANGER - 20 YEARS PARTS;ALL PARTS - 5 YEARS PARTS |
| Standard Parts Warranty - Residential | ALL PARTS - 5 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS |
| Ecomm Path Display | Equipment/Residential Split System/Gas Furnace |
| Release Status | Active |