

# GLXS5BA1810

Generated from workbook row data

| Attribute                                     | Value   |
|---|---|
| Brand   | Goodman   |
| ProductCategory                               | Unitary   |
| ProductClassPIM                               | Split Air Conditioner   |
| System Family                                 | Unitary Split System  |
| Function Category                             | Cooling Only  |
| Product Type                                  | Equipment   |
| Unit Type                                     | Outdoor   |
| Market Type                                   | Residential-Single Family   |
| Product Family                                | GLXS5   |
| Series Name                                   | GLXS5B  |
| Short Description                             | Goodman Split Air Conditioner 15.2 SEER2, Single Stage  |
| Model Efficiency                              | 15.2 SEER2  |
| Product Features - (Standard)                 | High-efficiency scroll compressor<br>Factory-installed filter drier<br>Fully charged for 15' of tubing length<br>Copper tube/enhanced aluminum fin coil -5mm diameter on 1.5-3.0T<br>Service valves with sweat connections and easy-to-access gauge ports<br>Enclosed contactor with lug connection<br>Ground lug connection<br>High-pressure switch<br>AHRI Certified<br>ETL Listed  |
| Cabinet Features                              | Removable grille-style top design compliant with UL 60335-2-40<br>Heavy-gauge galvanized-steel cabinet<br>Attractive Architectural Gray powder-paint finish with 500-hour salt-spray approval<br>Steel louver coil guard<br>Single-panel access to controls with space provided for field-installed accessories<br>When properly anchored, meets the 2023 Florida Building Code unit integrity requirements for hurricane-type winds (Anchor bracket kits available.) |
| Communication Feature                         | No  |
| Communication Feature Type                    | Non-Communicating   |
| DOE Regional Compliance                       | All   |
| Export Control Classification Number - (ECCN) | EAR99   |
| Universal Product Code (UPC)                  | 663051735460  |
| Item Stocking Unit of Measure (UOM)           | EA  |
| Pallet Qty                                    | 2   |

| Attribute                      | Value  |
|--------------------------------|--|
| Country of Origin              | USA  |
| US HTS Code                    | 8415.90.8070   |
| Canadian HTS Code              | 8415.90.90.00  |
| Long Description               | Goodman Split Air Conditioner 15.2 SEER2, Single Stage, 1.5 Ton, Non-Communicating |
| ProductDescriptionPIM          | 15.2 SEER2 R-32 AC 1.5 Ton   |
| InstallationConfiguration      | Top Discharge  |
| Producer                       | Yes  |
| ProductIDBarcode               | GLXS5BA1810  |
| CoolingOperationRangeStdMax    | 115 °F   |
| CoolingOperationRangeStdMin    | 55 °F  |
| RatedCoolingConditionAmbientDB | 95 °F  |
| RatedCoolingConditionAmbientWB | 72 °F  |
| RatedCoolingConditionRoomDB    | 80 °F  |
| RatedCoolingConditionRoomWB    | 67 °F  |
| CompressorRLA                  | 8.3 A  |
| MaxOvercurrentProtection       | 15 A   |
| MinCircuitAmps                 | 11.1 A   |
| PowerFrequency                 | 60 Hz  |
| PowerPhase                     | 1 Ph   |
| PowerVoltage                   | 208/230 V  |
| CompressorStages               | Single Stage   |
| CompressorType                 | Scroll   |
| DimensionsUnitDepth            | 26 in  |
| DimensionsUnitHeight           | 27 in  |
| DimensionsUnitWidth            | 26 in  |
| MotorSpeedType                 | Single Speed   |
| SoundPressureHighCooling       | 72.6 dBA   |
| Tonnage                        | 1.5  |
| FactoryStdRefrigerantCharge    | 54 oz  |
| MaxPipeLengthTotal             | 79 ft  |
| MaxPipeLengthVertical          | 50 ft  |

| Attribute                                | Value                      |
|--|----------------------------|
| PipeSizeGas                              | 3/4 in                     |
| PipeSizeLiquid                           | 3/8 in                     |
| RefrigerantPreChargedLineLength          | 15 ft                      |
| RefrigerantType                          | R-32                       |
| ValveSizeLiquidOD                        | 3/8 in                     |
| ValveSizeSuctionOD                       | 3/4 in                     |
| Proposition 65 Label                     | Yes                        |
| Carton Type                              | CTN                        |
| Case Qty                                 | 1                          |
| Dimensions - (Case Depth)                | 27.50 in                   |
| Dimensions - (Case Height)               | 29.50 in                   |
| Dimensions - (Case Width)                | 27.50 in                   |
| Dimensions - (Distribution Unit Depth)   | 27.5 in                    |
| Dimensions - (Distribution Unit Height)  | 29.5 in                    |
| Dimensions - (Distribution Unit Width)   | 27.5 in                    |
| Dimensions - (Pallet Depth)              | 27.50 in                   |
| Dimensions - (Pallet Height)             | 29.50 in                   |
| Dimensions - (Pallet Width)              | 55.00 in                   |
| Dimensions - (Shipping Unit Depth)       | 27.50 in                   |
| Dimensions - (Shipping Unit Height)      | 29.50 in                   |
| Dimensions - (Shipping Unit Width)       | 27.50 in                   |
| Distribution Shipping Volume - (Unit)    | 22309.375 in <sup>3</sup>  |
| Shipping Volume - (Unit)                 | 22309.375 in <sup>3</sup>  |
| Truck Factor                             | 0                          |
| Volume - (Case)                          | 22309.375 in <sup>3</sup>  |
| Volume - (Distribution Shipping Unit)    | 22309.375 in <sup>3</sup>  |
| Weight - (Case)                          | 137.000 lb                 |
| Weight - (Distribution Shipping Unit)    | 137 lb                     |
| Weight - (Shipping Unit)                 | 137.000 lb                 |
| Registered Parts Warranty - Commercial   | ALL PARTS - 5 YEARS PARTS  |
| Registered Parts Warranty - Multi-Family | ALL PARTS - 10 YEARS PARTS |

| Attribute                               | Value  |
|---|--|
| Registered Parts Warranty - Residential | ALL PARTS - 10 YEARS PARTS                               |
| Standard Parts Warranty - Commercial    | ALL PARTS - 5 YEARS PARTS                                |
| Standard Parts Warranty - Multi-Family  | ALL PARTS - 5 YEARS PARTS                                |
| Standard Parts Warranty - Residential   | ALL PARTS - 5 YEARS PARTS                                |
| Ecomm Path Display                      | Equipment/Residential Split System/Split Air Conditioner |
| Release Status                          | Active   |