

GM9S920805CN

Generated from workbook row data

| Attribute | Value |
|---|--|
| Brand | Goodman |
| ProductCategory | Unitary |
| ProductClassPIM | Gas Furnace |
| System Family | Unitary Split System |
| Function Category | Heating Only |
| Product Type | Equipment |
| Unit Type | Indoor |
| Market Type | Residential-Single Family |
| Product Family | GM9S92 |
| Short Description | Goodman 92% AFUE Gas Furnace Multi-Speed, Single Stage |
| Model Efficiency | 0.92 |
| Family Description | Single-Stage Multi-Speed ECM Gas Furnace Up to 92% AFUE |
| Product Benefits | High reliability and quality Faster condensate water drainage and no unit water leakage Durable and long igniter life Provisions for electronic air cleaner and humidifier Energy Efficient and quiet circulation Lower NOx emission Self-diagnostic control board with constant memory Simple installation and setup Quiet and simple operation |
| Product Features - (Standard) | Heavy-duty aluminized-steel tubular heat exchanger Stainless-steel sloped secondary heat exchanger "Silicon Nitride igniter" Color-coded low-voltage terminals Multi-speed ECM blower motor with continuous fan speed All models comply with California 40 ng/J Fault code LED Output Single-Stage gas Valve Single-speed inducer draft blower |
| Installation Type | Ducted |
| Export Control Classification Number - (ECCN) | EAR99 |
| Min Advertised Price | 1665 \$ |
| Universal Product Code (UPC) | 663051628489 |
| Item Stocking Unit of Measure (UOM) | EA |
| Pallet Qty | 4 |

| Attribute | Value |
|---------------------------|---|
| Country of Origin | USA |
| US HTS Code | 7322.90.0015 |
| Canadian HTS Code | 7322.90.10.21 |
| Long Description | Goodman 92% AFUE Gas Furnace Multi-Speed, Single Stage, Upflow/Horizontal, 80,000 BTUH/H, Non-NOx |
| ProductDescriptionPIM | fer uf furnace |
| AFUE | 0.92 |
| CoolingCapacityNominal | 60000 Btu/H |
| InstallationConfiguration | Upflow/Horizontal |
| Producer | Yes |
| ProductIDBarcode | GM9S920805CN |
| TemperatureRiseRangeHigh | 25-55 °F |
| MaxOvercurrentProtection | 25 A |
| MinCircuitAmps | 16.7 A |
| PowerFrequency | 60 Hz |
| PowerPhase | 1 Ph |
| PowerVoltage | 115 V |
| DimensionsBlowerDiameter | 11 in |
| DimensionsBlowerWidth | 10 in |
| DimensionsUnitDepth | 28 in |
| DimensionsUnitHeight | 33-3/8 in |
| DimensionsUnitWidth | 21 in |
| HeatExchangerType | Air Cooled |
| MotorSpeedType | Multi-Speed |
| NOxBurnerType | Non-NOx |
| WeightUnit | 140 lb |
| BlowerMotorHorsePower | 1 metric hp |
| HighFireInputCapacity | 80000 Btu |
| HighFireOutputCapacity | 73680 |
| Tonnage | 5 |
| GasValveType | Single Stage |
| Proposition 65 Label | Yes |

| Attribute | Value |
|--|--|
| Carton Type | CTN |
| Case Qty | 1 |
| Dimensions - (Case Depth) | 30.00 in |
| Dimensions - (Case Height) | 38.50 in |
| Dimensions - (Case Width) | 22.00 in |
| Dimensions - (Distribution Unit Depth) | 30 in |
| Dimensions - (Distribution Unit Height) | 38.5 in |
| Dimensions - (Distribution Unit Width) | 22 in |
| Dimensions - (Pallet Depth) | 60.00 in |
| Dimensions - (Pallet Height) | 38.50 in |
| Dimensions - (Pallet Width) | 44.00 in |
| Dimensions - (Shipping Unit Depth) | 30.00 in |
| Dimensions - (Shipping Unit Height) | 38.50 in |
| Dimensions - (Shipping Unit Width) | 22.00 in |
| Distribution Shipping Volume - (Unit) | 25410 in ³ |
| Shipping Volume - (Unit) | 25410.000 in ³ |
| Truck Factor | 0 |
| Volume - (Case) | 25410.000 in ³ |
| Volume - (Distribution Shipping Unit) | 25410 in ³ |
| Weight - (Case) | 132.000 lb |
| Weight - (Distribution Shipping Unit) | 132 lb |
| Weight - (Shipping Unit) | 132.000 lb |
| Registered Parts Warranty - Commercial | ALL PARTS - 5 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS |
| Registered Parts Warranty - Multi-Family | ALL PARTS - 10 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS |
| Registered Parts Warranty - Residential | HEAT EXCHANGER - 79 YEARS PARTS HEAT EXCHANGER - 20 YEARS PARTS HEAT EXCHANGER - 79 YEARS PARTS ALL PARTS - 10 YEARS PARTS ALL PARTS - 10 YEARS PARTS HEAT EXCHANGER - 20 YEARS PARTS HEAT EXCHANGER - 20 YEARS PARTS ALL PARTS - 10 YEARS PARTS HEAT EXCHANGER - 79 YEARS PARTS |
| Standard Parts Warranty - Commercial | ALL PARTS - 5 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS |

| Attribute | Value |
|--|---|
| Standard Parts Warranty - Multi-Family | ALL PARTS - 5 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS |
| Standard Parts Warranty - Residential | ALL PARTS - 5 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS |
| Ecomm Path Display | Equipment/Residential Split System/Gas Furnace |
| Release Status | Active |