

# GR9S921005CN

Generated from workbook row data

| Attribute                                     | Value  |
|---|--|
| Brand   | Goodman  |
| ProductCategory                               | Unitary  |
| ProductClassPIM                               | Gas Furnace  |
| System Family                                 | Unitary Split System   |
| Function Category                             | Heating Only   |
| Product Type                                  | Equipment  |
| Unit Type                                     | Indoor   |
| Market Type                                   | Residential-Single Family  |
| Product Family                                | GR9S92   |
| Short Description                             | Goodman 92% AFUE Gas Furnace Multi-Speed, Single Stage   |
| Model Efficiency                              | 0.92   |
| Family Description                            | Single-Stage Multi-Speed ECM Gas Furnace Up to 92% AFUE  |
| Product Benefits                              | <p>High reliabilitynd quality<br/>           Faster condensate water drainagend no unit water leakage<br/>           Durablend long igniter life<br/>           Provisions for electronicir cleanernd humidifier<br/>           Energy Efficientnd quiet circulation<br/>           Lower NOx emission<br/>           Self-diagnostic control board with constant memory<br/>           Simple installationnd setup<br/>           Quietnd simple operation</p>              |
| Product Features - (Standard)                 | <p>Heavy-duty luminized-steel tubular heat exchanger<br/>           Stainless-steel sloped secondary heat exchanger<br/>           "Silicon Nitride igniter"<br/>           Color-coded low-voltage terminals<br/>           Multi-speed ECM blower motor with continuous fan speed<br/>           All models comply with California 40 ng/J<br/>           Fault code LED Output<br/>           Single-Stage gas Valve<br/>           Single-speed inducer draft blower</p> |
| Installation Type                             | Ducted   |
| Export Control Classification Number - (ECCN) | EAR99  |
| Universal Product Code (UPC)                  | 663051686205   |
| Item Stocking Unit of Measure (UOM)           | EA   |
| Pallet Qty                                    | 4  |
| Country of Origin                             | USA  |

| Attribute                 | Value  |
|---------------------------|--|
| US HTS Code               | 7322.90.0015   |
| Canadian HTS Code         | 7322.90.10.21  |
| Long Description          | Goodman 92% AFUE Gas Furnace Multi-Speed, Single Stage, Upflow/Horizontal, 100,000 BTUH/H, Non-NOx |
| ProductDescriptionPIM     | fer uf furnace   |
| AFUE                      | 0.92   |
| CoolingCapacityNominal    | 60000 Btu/H  |
| InstallationConfiguration | Upflow/Horizontal  |
| Producer                  | Yes  |
| ProductIDBarcode          | GR9S921005CN   |
| TemperatureRiseRangeHigh  | 35-65 °F   |
| MaxOvercurrentProtection  | 25 A   |
| MinCircuitAmps            | 16.4 A   |
| PowerFrequency            | 60 Hz  |
| PowerPhase                | 1 Ph   |
| PowerVoltage              | 115 V  |
| AirFlowRateHighHeating    | 1871.3755554999998 ft <sup>3</sup> /min  |
| DimensionsBlowerDiameter  | 11 in  |
| DimensionsBlowerWidth     | 10 in  |
| DimensionsUnitDepth       | 28-7/8 in  |
| DimensionsUnitHeight      | 34-1/2 in  |
| DimensionsUnitWidth       | 21 in  |
| HeatExchangerType         | Gas  |
| MotorSpeedType            | Multi-Speed  |
| NOxBurnerType             | Non-NOx  |
| WeightUnit                | 141 lb   |
| BlowerMotorHorsePower     | 1 metric hp  |
| HighFireInputCapacity     | 100000 Btu   |
| HighFireOutputCapacity    | 92100  |
| Tonnage                   | 5  |
| GasValveType              | Single Stage   |
| Proposition 65 Label      | Yes  |

| Attribute                                | Value  |
|--|--|
| Carton Type                              | CTN  |
| Case Qty                                 | 1  |
| Dimensions - (Case Depth)                | 30.00 in   |
| Dimensions - (Case Height)               | 38.50 in   |
| Dimensions - (Case Width)                | 22.00 in   |
| Dimensions - (Distribution Unit Depth)   | 30 in  |
| Dimensions - (Distribution Unit Height)  | 38.5 in  |
| Dimensions - (Distribution Unit Width)   | 22 in  |
| Dimensions - (Pallet Depth)              | 60.00 in   |
| Dimensions - (Pallet Height)             | 38.50 in   |
| Dimensions - (Pallet Width)              | 44.00 in   |
| Dimensions - (Shipping Unit Depth)       | 30.00 in   |
| Dimensions - (Shipping Unit Height)      | 38.50 in   |
| Dimensions - (Shipping Unit Width)       | 22.00 in   |
| Distribution Shipping Volume - (Unit)    | 25410 in <sup>3</sup>  |
| Shipping Volume - (Unit)                 | 25410.000 in <sup>3</sup>  |
| Truck Factor                             | 0  |
| Volume - (Case)                          | 25410.000 in <sup>3</sup>  |
| Volume - (Distribution Shipping Unit)    | 25410 in <sup>3</sup>  |
| Weight - (Case)                          | 139.000 lb   |
| Weight - (Distribution Shipping Unit)    | 139 lb   |
| Weight - (Shipping Unit)                 | 139.000 lb   |
| Registered Parts Warranty - Commercial   | HEAT EXCHANGER - 20 YEARS PARTS;ALL PARTS - 5 YEARS PARTS  |
| Registered Parts Warranty - Multi-Family | HEAT EXCHANGER - 20 YEARS PARTS;ALL PARTS - 10 YEARS PARTS   |
| Registered Parts Warranty - Residential  | ALL PARTS - 10 YEARS PARTS<br>HEAT EXCHANGER - 20 YEARS PARTS<br>ALL PARTS - 10 YEARS PARTS<br>HEAT EXCHANGER - 79 YEARS PARTS<br>HEAT EXCHANGER - 20 YEARS PARTS<br>HEAT EXCHANGER - 79 YEARS PARTS |
| Standard Parts Warranty - Commercial     | HEAT EXCHANGER - 20 YEARS PARTS;ALL PARTS - 5 YEARS PARTS  |
| Standard Parts Warranty - Multi-Family   | ALL PARTS - 5 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS  |

| Attribute                             | Value   |
|---------------------------------------|---|
| Standard Parts Warranty - Residential | ALL PARTS - 5 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS |
| Ecomm Path Display                    | Equipment/Residential Split System/Gas Furnace            |
| Release Status                        | Active  |