

# GR9T800603BN

Generated from workbook row data

Attribute	Value
Brand	Goodman
ProductCategory	Unitary
ProductClassPIM	Gas Furnace
System Family	Unitary Split System
Function Category	Heating Only
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	GR9T80
Series Name	GR9T80
Short Description	Goodman 80% AFUE Gas Furnace Multi-Speed, Two Stage
Model Efficiency	0.8
Family Description	Two-Stage Multi-Speed ECM Gas Furnace up to 80% AFUE
Product Benefits	High reliability and quality Durable long igniter life Provisions for electronic cleaner and humidifier Quiet and Economical heating Energy Efficient and quiet circulation Self-diagnostic control board with constant memory Operates on two-stage or single-stage thermostats Easy Connection for ECM Humidifier
Product Features - (Standard)	Heavy-duty luminized-steel tubular heat exchanger "Silicon Nitride igniter" Color-coded low-voltage terminals Two-Stage gas valve Multi-speed ECM blower motor with continuous fan speed Fault code LED Output Two-stage gas valve Furnace control board with self-diagnostics and provisions for electronic cleaner and 120-volt or 24-volt humidifiers
Cabinet Features	Fully insulated, heavy-gauge steel cabinet with durable baked-enamel finish
Installation Type	Ducted
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Universal Product Code (UPC)	663051685567

Attribute	Value
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	4
Country of Origin	USA
US HTS Code	7322.90.0015
Canadian HTS Code	7322.90.10.21
Long Description	Goodman 80% AFUE Gas Furnace Multi-Speed, Two Stage, Upflow/Horizontal, 60,000 BTUH/H, Non-NOx
ProductDescriptionPIM	fer uf furnace
AFUE	0.8
CoolingCapacityNominal	36000 Btu/H
InstallationConfiguration	Upflow/Horizontal
Producer	Yes
ProductIDBarcode	GR9T800603BN
TemperatureRiseRangeHigh	15-45 °F
MaxOvercurrentProtection	15 A
MinCircuitAmps	8.7 A
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	115 V
AirFlowRateHighHeating	1412.5 ft <sup>3</sup> /min
DimensionsBlowerDiameter	10 in
DimensionsBlowerWidth	8 in
DimensionsUnitDepth	28 in
DimensionsUnitHeight	33-3/8 in
DimensionsUnitWidth	17-1/2 in
HeatExchangerType	Gas
MotorSpeedType	Multi-Speed
NOxBurnerType	Non-NOx
WeightUnit	107 lb
BlowerMotorHorsePower	1/2 metric hp
HighFireInputCapacity	60000 Btu
HighFireOutputCapacity	48000

Attribute	Value
LowFireInputCapacity	42000
LowFireOutputCapacity	33600
Tonnage	3
GasValveType	Two Stage
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	30.00 in
Dimensions - (Case Height)	35.50 in
Dimensions - (Case Width)	18.50 in
Dimensions - (Distribution Unit Depth)	30 in
Dimensions - (Distribution Unit Height)	35.5 in
Dimensions - (Distribution Unit Width)	18.5 in
Dimensions - (Pallet Depth)	60.00 in
Dimensions - (Pallet Height)	35.50 in
Dimensions - (Pallet Width)	37.00 in
Dimensions - (Shipping Unit Depth)	30.00 in
Dimensions - (Shipping Unit Height)	35.50 in
Dimensions - (Shipping Unit Width)	18.50 in
Distribution Shipping Volume - (Unit)	19702.5 in <sup>3</sup>
Shipping Volume - (Unit)	19702.500 in <sup>3</sup>
Truck Factor	0
Volume - (Case)	19702.500 in <sup>3</sup>
Volume - (Distribution Shipping Unit)	19702.5 in <sup>3</sup>
Weight - (Case)	101.000 lb
Weight - (Distribution Shipping Unit)	101 lb
Weight - (Shipping Unit)	101.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 10 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS

Attribute	Value
Registered Parts Warranty - Residential	ALL PARTS - 10 YEARS PARTS HEAT EXCHANGER - 20 YEARS PARTS HEAT EXCHANGER - 79 YEARS PARTS HEAT EXCHANGER - 79 YEARS PARTS HEAT EXCHANGER - 20 YEARS PARTS HEAT EXCHANGER - 79 YEARS PARTS HEAT EXCHANGER - 20 YEARS PARTS ALL PARTS - 10 YEARS PARTS ALL PARTS - 10 YEARS PARTS
Registered Unit Replacement Warranty - Residential	HEAT EXCHANGER - 10 YEARS UNIT REPLACEMENT HEAT EXCHANGER - 10 YEARS UNIT REPLACEMENT HEAT EXCHANGER - 10 YEARS UNIT REPLACEMENT
Standard Parts Warranty - Commercial	HEAT EXCHANGER - 20 YEARS PARTS;ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS
Standard Parts Warranty - Residential	HEAT EXCHANGER - 20 YEARS PARTS;ALL PARTS - 5 YEARS PARTS
Ecomm Path Display	Equipment/Residential Split System/Gas Furnace
Release Status	Active