

MBVC1201AA-1

Generated from workbook row data

Attribute	Value
Brand	Corporate
ProductCategory	Unitary
ProductClassPIM	Air Handler
System Family	Unitary Split System
Function Category	Air Handler
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	MBVC_1
Series Name	MBVC
Short Description	MBVC Modular Blower, Variable Speed
Family Description	Multi-Position, Variable-Speed ECM-Based, Modular Blower ComfortBridge™ Compatible
Product Features - (Standard)	<ol style="list-style-type: none"> 1. Variable-speed ECM blower motor 2. Integrated communicating ComfortBridge™ technology 3. Commissioning and diagnostics via on board Bluetooth with the CoolCloud phone and tablet application. 4. Advanced configuration of the airflow and tonnage in communicating mode 5. Provides constant CFM over a wide range of static pressure conditions independent of duct system 6. CFM indicator 7. Provides adjustable low CFM for efficient fan-only operation 8. Improved humidity and comfort control 9. Built-in compatibility with multi-stage heat pump and cooling applications 10. 3 kW – 21 kW electric heat kits 11. Blower section usable as electric heater 12. AHRI certified 13. ETL listed
Cabinet Features	<ol style="list-style-type: none"> 1. Horizontal or vertical configuration capabilities 2. 21" depth for easier attic access 3. Foil-faced insulation covers the internal casing to reduce cabinet condensation 4. Galvanized, leather grain-embossed finish 5. Cabinet air leakage less than 2% at 1.0 inch H2O when tested in accordance with ASHRE standard 193 6. Cabinet air leakage less than 1.4% at 0.5 inch H2O when tested in accordance with ASHRE standard 193
Installation Type	Ducted Multi-position
Communication Feature	Yes
Communication Feature Type	ComfortBridge Technology compatible

Attribute	Value
Export Control Classification Number - (ECCN)	EAR99
Min Advertised Price	803 \$
Serialized Flag	Yes
Universal Product Code (UPC)	663051597440
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	8
Country of Origin	USA
US HTS Code	8414.59.6560
Canadian HTS Code	8414.59.00.92
Long Description	MBVC Ducted Multi-position Modular Blower, Variable Speed Motor, 1,200 CFM, Cabinet, ComfortBridge Technology compatible
ProductDescriptionPIM	Modular Blower
InstallationConfiguration	Upflow/Downflow/Horizontal
Producer	Yes
ProductIDBarcode	MBVC1201AA-1
CurrentType	AC
MaxOvercurrentProtection	15 A
MaxVoltage	253 V
MinVoltage	197 V
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208/240 V
AirFlowRateHighCooling	1200 ft ³ /min
DimensionsBlowerDiameter	10 in
DimensionsBlowerWidth	6 in
EnergySource	Electric
MotorSpeedType	Variable Speed
Tonnage	1
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	26.00 in

Attribute	Value
Dimensions - (Case Height)	29.00 in
Dimensions - (Case Width)	20.00 in
Dimensions - (Distribution Unit Depth)	26 in
Dimensions - (Distribution Unit Height)	29 in
Dimensions - (Distribution Unit Width)	20 in
Dimensions - (Pallet Depth)	54.00 in
Dimensions - (Pallet Height)	62.50 in
Dimensions - (Pallet Width)	41.00 in
Dimensions - (Shipping Unit Depth)	26.00 in
Dimensions - (Shipping Unit Height)	29.00 in
Dimensions - (Shipping Unit Width)	20.00 in
Distribution Shipping Volume - (Unit)	15080 in ³
Shipping Volume - (Unit)	15080.000 in ³
Truck Factor	0
Volume - (Case)	15080.000 in ³
Volume - (Distribution Shipping Unit)	15080 in ³
Weight - (Case)	70.000 lb
Weight - (Distribution Shipping Unit)	70 lb
Weight - (Shipping Unit)	70.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 10 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 10 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Ecomm Path Display	Equipment/Residential Split System/Air Handler
Release Status	Active