

AT140B1206/U

Attribute	Value
SKU Short Description	Foot mounted 120 V AC Transformer with 9 in Leadwires and plastic end caps
Product Taxonomy Node	RMH Root.Electrical Components.Transformers
Linking Product Number	AT140
Bundle	No
Includes	Plastic end caps
Secondary Connection Size	9 in 229 mm
Secondary Connection Type	Leadwires
Primary Connection Size	9 in 229 mm
Primary Connection Type	Primary Connection Type
Package Height UoM	in
Package Length UoM	in
Package Weight	1.6
Package Weight UoM	lb
Package Width UoM	in
Product Height	1.69 43
Product Height UoM	in mm
Product Width	3.5 89
Product Width UoM	in mm
Mounting Type	Foot Mounted
Application	40 VA general purpose transformers power 24 V AC circuits. Although typically used in heating/cooling control systems, they can be used in any application that doesn't exceed the load ratings
Ambient Operating Temperature (Max)	105 °F 41 °C
Ambient Operating Temperature (Min)	-20 °F -29 °C
Frequency	60 Hz
Secondary Open Circuit Voltage	27 V.O.C.

Attribute	Value
Primary Input Voltage	120 V ac
VA Rating	40 VA
Phase	DNA
Approvals and Standards	UL Component Recognized: B, D, E models. File# E14881 CSA Certified: A & B models NEC Class 2
SKU Title	AT140B1206 Foot mounted 120 V AC Transformer with 9 in Leadwires
Brand	Resideo
Global ERP Status Code	01
UPC Number	085267035170
LOB	RTS