

AT72D1048/U

Attribute	Value
SKU Short Description	Plate mounted 120 V AC Transformer with 9 in Leadwires
Product Taxonomy Node	RMH Root.Electrical Components.Transformers
Linking Product Number	AT72
Bundle	No
Secondary Connection Size	32 in
Secondary Connection Type	1/2 in female conduit spud w/32 in. Leadwires
Primary Connection Size	9 in 229 mm
Primary Connection Type	Leadwires: Black and White
Package Height UoM	in
Package Length UoM	in
Package Weight	2.1
Package Weight UoM	lb
Package Width UoM	in
Product Height	3.22 81.8
Product Height UoM	in mm
Product Width	2.22 56.4
Product Width UoM	in mm
Enclosure Rating	NEMA type D
Mounting Type	Clamp for outlet box knockout 4 x 4 inch mounting plate for 2 x 4 inch or 4 x 4 inch outlet box Foot Mounted
Application	40 VA transformers power 24 V systems including thermostats, gas valves and relays.
Ambient Operating Temperature (Max)	105 °F 41 °C
Ambient Operating Temperature (Min)	-20 °F -29 °C
Frequency	50 Hz; 60 Hz
Secondary Open Circuit Voltage	26.5 V.O.C.

Attribute	Value
Primary Input Voltage	120 V ac
VA Rating	40 VA
Phase	DNA
Approvals and Standards	UL Component Recognized CSA Certified NEC Class 2
SKU Title	AT72D1048 Plate mounted 120 V AC Transformer with 9 in Leadwires
Brand	Resideo
Global ERP Status Code	01
UPC Number	085267035873
LOB	RTS