

TH4210U2002/U

Attribute	Value
SKU Short Description	T4 Pro Programmable Thermostat with stages up to 2 Heat/1 Cool Heat Pumps; up to 1 Heat/1 Cool Conventional Systems
Product Taxonomy Node	RMH Root.Controls.Thermostats
Linking Product Number	T4
Bundle	No
Alerts and Reminders	Battery Replacement Filter Change
Includes	T4 Pro Thermostat UWP Wall Plate Decorative Cover Plate Screws and anchors 2 AA Batteries Literature
Terminal Designations	R, Rc, C, W, W2-Aux, Y, G, O/B, L/A
Product Features	Uses the UWP wall plate that's standard across all T Series thermostats Simple push-button functionality
Package Height	2.27
Package Height UoM	in
Package Length	6
Package Length UoM	in
Package Weight	0.9
Package Weight UoM	lb
Package Width	5
Package Width UoM	in
Product Height	4.06 104
Product Height UoM	in mm
Product Width	4.06 104
Product Width UoM	in mm
Product Depth	1.09 in 28 mm
Display Size	3.93 sq in
Displayed Information	Time Mode Indoor Temperature Status Display Backlit
Display Language	English
Display Time Format	24 Hour 12 Hour (AM/PM)

Attribute	Value
Color	White
Mounting Location	Wall
Mounting Type	UWP Wall Plate
Sensor Location	Built in
Fan Switch	Auto-On
Application	24 VAC single-stage systems, gas, oil, electric warm air hot water coil electric hydronic steam/gravity systems 2H/1C Heat Pump with auxillary heat
Stages	Up to 2 Heat/1 Cool Heat Pump Systems 1 Heat/1 Cool Conventional Systems
Switch Type	Relay
Modes of Operation	Heat Cool
Ambient Operating Temperature (Max)	102 °F 39 °C
Ambient Operating Temperature (Min)	37 °F 2.8 °C
Set point Temperature (Max)	Heat: 90 °F Heat: 32 °C Cool: 99 °F Cool: 37 °C
Set point Temperature (Min)	Heat: 40 °F Heat: 4 °C Cool: 50 °F Cool: 10 °C
Shipping and Storage Temperature (Max)	120 °F 49 °C
Shipping and Storage Temperature (Min)	-20 °F -29 °C
Differential Temperature	1 °F 0.5 °C
Power Supply	Hardwired Battery
Power Supply Frequency	50 Hz 60 Hz
Supply Voltage	20 to 30 V AC
Electrical Connection Type	UWP Mounting System
Operating Current	0.02 A to 1.0 A running
Sensor Type	Thermistor
Energy Star Certified	No
Power Source	Hardwired Battery Operated
SKU Title	T4 Pro Programmable Thermostat, 2 Heat/1 Cool

Attribute	Value
Brand	Honeywell Home
Global ERP Status Code	08
UPC Number	085267187336
LOB	Comfort
Hazardous Material Code	NR1
Hazardous Material Description	NOT RESTRICTED - SPECIAL PROVISION A123