

TH6210U2001/U

Attribute	Value
SKU Short Description	T6 Pro Programmable Thermostat up to 2 Heat/1 Cool
Product Taxonomy Node	RMH Root.Controls.Thermostats
Linking Product Number	T6
Bundle	No
Alerts and Reminders	High Indoor Temperature Low Indoor Temperature Heat Pump Error Battery Replacement WiFi No Internet Filter Change
Includes	T6 Pro Thermostat UWP Wall Plate Decorative Cover Plate Screws and anchors 2 AA Batteries Literature
Terminal Designations	R, Rc, C, W, W2-Aux, Y, G, O/B, L/A
Product Features	Uses the UWP wall plate that's standard across all T Series thermostats Simple push-button functionality
Package Height	2.27
Package Height UoM	in
Package Length	6
Package Length UoM	in
Package Weight	0.815
Package Weight UoM	lb
Package Width	5
Package Width UoM	in
Product Height	4.06 104
Product Height UoM	in mm
Product Width	4.06 104
Product Width UoM	in mm
Product Depth	1.09 in 28 mm
Display Size	5.44 sq in
Display Language	English
Display Time Format	24 Hour 12 Hour (AM/PM)
Color	White

Attribute	Value
Mounting Location	Wall
Mounting Type	UWP Wall Plate
Sensor Location	Built-in
Fan Switch	Auto-On-Circ Follow Schedule
Application	24 VAC single-stage systems, gas, oil, electric warm air hot water coil electric hydronic steam/gravity systems 2H/1C Heat Pump with auxillary heat
Stages	Up to 2 Heat/1 Cool Heat Pump Systems 1 Heat/1 Cool Conventional Systems
Modes of Operation	Heat Cool Emergency Heat Off Auto
Ambient Operating Temperature (Max)	102 °F 39 °C
Ambient Operating Temperature (Min)	37 °F 2.8 °C
Interstage Differential Temperature	1 to 1.5 °F Multistage only
Set point Temperature (Max)	90 °F 32 °C
Set point Temperature (Min)	40 °F 4.5 °C
Shipping and Storage Temperature (Max)	120 °F 49 °C
Shipping and Storage Temperature (Min)	-20 °F -29 °C
Differential Temperature	± 1 °F ± 0.5 °C
Power Supply	Hardwired Battery
Power Supply Frequency	60 Hz
Supply Voltage	20 to 30 V AC
Electrical Connection Type	UWP Mounting System
Operating Current	0.02-1.0 A
Sensor Type	Thermistor
Energy Star Certified	No
Battery Type	Alkaline
Optional Inputs	Floor Sensor
Power Source	Hardwired Battery Operated

Attribute	Value
SKU Title	T6 Pro Programmable Thermostat up to 2 Heat/1 Cool
Brand	Honeywell Home
Global ERP Status Code	01
UPC Number	085267554404
LOB	Comfort
Hazardous Material Code	NR1
Hazardous Material Description	NOT RESTRICTED - SPECIAL PROVISION A123