

TH6320R1004/U

Attribute	Value
SKU Short Description	FocusPRO® 6000 5-1-1 programmable wireless thermostat
Product Taxonomy Node	RMH Root.Controls.Thermostats
Linking Product Number	TH6320R
Bundle	No
Alerts and Reminders	Battery Replacement High Indoor Temperature Low Indoor Temperature
For Use With	HZ432 or HZ322 TrueZONE® panel THM4000R1000 Wireless Adapter THM5320R1000 Equipment Interface Module
Includes	Thermostat Screws Literature
Terminal Designations	C, R, Rc, Rh, W-O/B, W2-Aux/E, Y, Y2, G, L, RAS
Product Features	Everything you love about FocusPRO® - now wireless: Connects to the Internet Relocate a thermostat or upgrade equipment without running new wires RedLINK®-enabled to work with the RedLINK® Internet Gateway, Portable Comfort Control and Wireless Outdoor Sensor Displays outdoor temperature and humidity Universal application: 3 heat, 2 cool Equipment Interface Module easily wires to the equipment to communicate with the Wireless FocusPRO Return Air Sensor wires to the Equipment Interface Module for backup control if homeowners forget to change batteries (high and low temperature limits) Dual fuel enabled
Bulb Diameter	Not Applicable
Bulb Length	Not Applicable
Package Height UoM	in
Package Length UoM	in
Package Weight	0.8
Package Weight UoM	lb
Package Width UoM	in
Product Height	3.56 91
Product Height UoM	in mm
Product Width	5.81 147
Product Width UoM	in mm
Product Depth	1 in 38 mm
Display Size	2.67 sq in

Attribute	Value
Displayed Information	Indoor Temperature Outdoor Humidity Outdoor Temperature Status Display
Display Language	English
Color	Premier White®
Housing Material	Plastic
Mounting Location	Wall Internal
Mounting Type	Horizontal Mount
Sensor Location	Built-in
Fan Switch	Auto-On
Application	Conventional Systems Heat Pumps with Auxiliary Heat
Stages	Up to 3 Heat/2 Cool Heat Pump Systems Up to 2 Heat/2 Cool Conventional Systems
Switch Action	DPST
Number of Fan Speeds	1
Scale Markings	Not Applicable
Switch Type	Relay
Modes of Operation	Heat Cool Auto Off Emergency Heat
Ambient Operating Temperature (Max)	120 °F 49 °C
Ambient Operating Temperature (Min)	32 °F 0 °C
Interstage Differential Temperature	1 to 1.5 °F
Set point Temperature (Max)	Heating: 90 °F Cooling: 99 °F Heating: 32 °C Cooling: 37 °C
Set point Temperature (Min)	Heating: 40 °F Cooling: 50 °F Heating: 4.5 °C Cooling: 10 °C
Shipping and Storage Temperature (Max)	120 °F 49 °C
Shipping and Storage Temperature (Min)	-20 °F -29 °C
Differential Temperature	± 1 °F ± 0.5 °C
Power Supply	Battery
Operating Voltage (Max)	240 Vac 208 Vac

Attribute	Value
Electrical Connection Type	Screw terminals
Operating Current	15 A
Sensor Type	Thermistor
Energy Star Certified	No
SKU Title	FocusPRO® 6000 5-1-1 programmable wireless thermostat
Brand	Honeywell Home
Global ERP Status Code	01
UPC Number	085267329385
LOB	Comfort