

YTHX1200B8/U

Attribute	Value
SKU Short Description	ElitePRO™ S1200 Smart Thermostat in Black with EIM
Product Taxonomy Node	RMH Root.Controls.Thermostats
Linking Product Number	THX1200
Bundle	No
For Use With	C7189R3010-2 room sensor
Includes	ElitePRO™ S1200 Smart Thermostat in Black, Equipment Interface Module (EIM) UWP® Wall Plate Cover Plate with J-Box Adapter Hardware Literature
Terminal Designations	(On EIM) R, Rc, Rh, Y1, Y2, G, O/B, W1, W2-Aux 1, W3-Aux 2, L, U1, U1, U2, U2, U3, U3, S1, S1, S2, S2, S3, S3, S4, S4
Product Features	Time-Based or Smart Away programming for energy efficiency Includes Onboard Radar Sensor Allows Air quality monitoring VX1 or Ring Doorbell Compatibility
Package Height	4.94
Package Height UoM	in
Package Length	10
Package Length UoM	in
Package Weight	1.94
Package Weight UoM	lb
Package Width	5.69
Package Width UoM	in
Product Height	3.54 90
Product Height UoM	in mm
Product Weight	0.91
Product Weight UoM	lb
Product Width	5.25 133
Product Width UoM	in mm
Product Depth	0.96 in 24 mm
Display Size	5 sq. in
Display Language	Display selectable for English, French, or Spanish

Attribute	Value
Color	Black
Mounting Location	J-Box Horizontal Mount to wall
Fan Switch	Auto-On-Circ
Application	Residential or light commercial, 24 Vac systems; Gas, Oil, Electric Warm Air, Hydronic, Fan coil unit, PTAC. IAQ control.
Stages	Up to 4H/2C Heat Pump or 3H/3C Conventional
Number of Fan Speeds	Up to 3 Fan Speeds for Fan Coil Units
Modes of Operation	Heat Off Cool Auto Emergency Heat
Ambient Operating Temperature (Max)	102 °F 38.9 °C
Ambient Operating Temperature (Min)	37 °F 2.8 °C
Set point Temperature (Max)	Heat: 90 °F Cool: 99 °F Heat: 32 °C Cool: 37 °C
Set point Temperature (Min)	Heat: 40 °F Cool: 50 °F Heat: 4.5 °C Cool: 10 °C
Shipping and Storage Temperature (Max)	120 °F 49 °C
Shipping and Storage Temperature (Min)	-20 °F -29 °C
Power Supply	Hardwired C-Wire required
Power Supply Frequency	60 Hz
Supply Voltage	20 to 30 VAC
Dehumidity Set point (Max)	100% RH
Dehumidity Set point (Min)	10% RH
Humidity Set point (Max)	90% RH
Humidity Set point (Min)	0% RH
Energy Star Certified	Yes
Power Source	Hardwired C-Wire required
SKU Title	ElitePRO™ S1200 Smart Thermostat with EIM in Black
Brand	Honeywell Home
Global ERP Status Code	01

Attribute	Value
UPC Number	194159018495