

UDXC0001001

Generated from column: Item Number

Attribute	Value
Parent_Manufacturer_Name+B:H	Reznor LLC
Manufacturer_Brand_Name	REZNOR
Product_Name	UDXC 30MBH NG Unit Heater, Single Stage, Aluminized Heat Exchanger
Short description	Power Vented, Low Static Axial Fan Residential/Commercial/Industrial Unit Heater 82%-83% Thermal Efficiency
Long_Description	<p>The Reznor UDXC series of universal gas-fired unit heaters are designed for reliability, easy installation, and speedy service. UDXC unit heaters range in input heating capacity between 30,000 and 400,000 BTUh in 14 sizes. UDXC unit heaters provide reliable heat to residential garages and workshops, commercial, and industrial spaces. UDXC unit heaters can use natural gas or liquid propane (LP) gas that can be single stage or 2-stage to match heating demand. UDXC units are field convertible to separated combustion. The UDXC uses quiet axial fans to move heat throughout the space and the fan can be operated separately from the heating enabling superior comfort within the heated space. Reliability enhancements such as stainless-steel heat exchangers can extend the life of the unit well beyond the industrial leading 10-year warranty offered. The UDXC offers optimal product selection with upgraded features to enhance reliability or space comfort performance .</p>
Model Description	UDXC30
Fuel Type	Natural Gas
Stages	1
Heat Exchanger Material	Titanium-stabilized aluminized steel
Motor Type	Open drip-proof motor
Invoice_Description	UDXC30,AA1,AG1,AC1,AK1,AZ0,AL1
Main_Category	Unit Heater
Sub_Category1	Gas-fired
Sub_Category2	82+% Efficient
UPC	663132504596
Prop_65	WARNING: This product can expose you to chemicals known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause birth defects or other reproductive harm.
Keywords	Unit Heater,Gas,Space Heat,Garage,Workshop,Reznor,Warehouse, Commercial Heating, Industrial Heating
Country_Of_Origin	MX
Manufacturer_Group_Code	UDXC

Attribute	Value
Hazardous_Material	No
Retail_Flag	Yes
Product_Length	29-3/4
Product_Length_UOM	Inches
Product_Width	27
Product_Width_UOM	Inches
Product_Height	13-3/4
Product_Height_UOM	Inches
Product_Weight	57
Product_Weight_UOM	Lbs
Spec_Name_1	Input Capacity (MBTUh)
Spec_Value_1	30
Spec_Name_2	Output Capacity (MBTUH)
Spec_Value_2	25
Spec_Name_3	Thermal Efficiency
Spec_Value_3	82 %
Spec_Name_4	Gas Stages
Spec_Value_4	1
Spec_Name_5	Voltage
Spec_Value_5	115V/60Hz/1 Ph
Spec_Name_6	Full Load Amps
Spec_Value_6	1.9
Feature_1	Approved for-Residential Garage, Workshop/Commercial Applications/Industrial Applications
Feature_2	Quick Glance Operation Status LED on bottom
Feature_3	Fast Access Hinged Door with Quarter Turn Latches
Feature_4	Speedy Repair 7 Segment Diagnostic LED and Single Gas Orifice
Feature_5	Adjustable Horizontal Air Delivery
Feature_6	Industry Best Warranty Program

Attribute	Value
Feature_7	Sleek Modern Styling
Feature_8	Easy 2 or 4 point mounting
Feature_9	Available Vertical Louvers and Downturn Nozzles for Enhanced Airflow Control
Feature_10	Close Mesh Fan Guard with 0.02 hp Open Drip Proof Motor
Image_1	https://assets.reznorhvac.com/download/91f17341-12d0-11ef-ae03-0016e1e579b9
Image_2	https://assets.reznorhvac.com/download/a8211533-12d0-11ef-ae03-0016e1e579b9
Primary_Spec_Sheet_URL	https://assets.reznorhvac.com/download/0eee9f1b-abd9-11ee-93f1-0016e1e579b9
File_Name_1	Reznor Unit Heater Catalog
File_URL_1	https://assets.reznorhvac.com/download/ff0da902-733c-11ee-af9d-0016e1e579b9
File_Name_2	Installation Instructions
File_URL_2	https://assets.reznorhvac.com/download/2d3765b8-abda-11ee-93f1-0016e1e579b9
File_Name_3	Replacement Parts for Gas-fired Unit Heaters
File_URL_3	https://assets.reznorhvac.com/download/e3b989bc-abde-11ee-93f1-0016e1e579b9
File_Name_4	Reznor Versus The Rest Unit Heater Flyer
File_URL_4	https://assets.reznorhvac.com/download/7009173f-fc78-11ec-9f28-0016e1e579b9
File_Name_5	Vertical Louver Kit Installation (Option CD1)
File_URL_5	https://assets.reznorhvac.com/download/e75ddeb4-abe3-11ee-93f1-0016e1e579b9
File_Name_6	Downturn Nozzle Kit Installation (Options CD2, CD3, CD4, and CD5)
File_URL_6	https://assets.reznorhvac.com/download/568f543a-8bdc-11eb-8feb-0016e1e579b9
File_Name_7	Stepdown Transformer Kit Installation
File_URL_7	https://assets.reznorhvac.com/download/f7c2a7ff-d25b-11ee-93f1-0016e1e579b9
File_Name_8	Ceiling Suspension Kit Installation (CK22)
File_URL_8	https://assets.reznorhvac.com/download/79569292-abfd-11ee-93f1-0016e1e579b9
File_Name_9	Multiple Unit Control Relay Kit Installation (CL31, CL32)
File_URL_9	https://assets.reznorhvac.com/download/61eef21b-d928-11ed-bfcb-0016e1e579b9
File_Name_10	Gas Conversion Kit Installation
File_URL_10	https://assets.reznorhvac.com/download/01fe92f1-303f-11ec-a2d2-0016e1e579b9
File_Name_11	Heat Exchanger Gasket Kit Installation

Attribute	Value
File_URL_11	https://assets.reznorhvac.com/download/c9584fa0-9637-11ec-a2d2-0016e1e579b9
File_Name_12	Separated-Combustion Conversion (option SC1)
File_URL_12	https://assets.reznorhvac.com/download/7d2163c6-abd9-11ee-93f1-0016e1e579b9
Video_URL_1	https://www.youtube.com/watch?v=0LX3U9Zphew&t=16s
Video_URL_2	https://youtu.be/YjZLCAjWmGA
Package_Length	37
Package_Length_UOM	inches
Package_Width	31
Package_Width_UOM	inches
Package_Height	18-7/16
Package_Height_UOM	inches
Package_Gross_Weight	63
Package_Gross_Weight_UOM	lbs
Package_QTY	1
Package_QTY_UOM	each
Returnable	Yes
Product_Life_Cycle_Status	Active